


MASK KEEPER INTRODUCTION

HANDY MASK CASE



MASK KEEPER



KNOXON Co.,Ltd

NOXON
Trust is first Priority

Where is your mask now?

The mask used for safety is **rather than harmful?**



Rolling around on a desk.
Or put it pocket~~~

**In contrast, It can harm
the health of fine dust
and germs/hormones.**

How do you take care of the mask that touches my body?

Now you need to have a safe management.



News (KOREA)

News (KOREA)

한국경제

"마스크, 자연건조만으로 재사용 가능..."

입력 2020.03.05 17:31 | 수정 2020.03.06 01:06 | 지면 A5

식품의약품안전처가 마스크 재사용 지침을 발표하면서 마스크 소독법에 대한 관심이 급증하고 있다. 한 번 착용한 마스크는 습기가 차서 세균 및 바이러스가 증식할 수 있고 재사용했을 때 마스크에 묻어 있던 바이러스에 감염되지 않을까 하는 우려에서다. 이 때문에 알코올 스프레이부터 전자레인지, 자외선 소독기 등 온갖 기기가 총동원되고 있다.

전문가들은 자연 건조만으로도 재사용이 가능하다고 말한다. KF94 마스크는 유지 관리를 잘하면 한 달가량 사용할 수 있도록 만들어졌다.



What is the MASK KEEPER?



Mask Keeper is a case in which a clean zipper bag contains a pack with dehumidification, deodorization, and antibacterial functions

1

Portable necklace

(detachable function)

2

Alcohol Swab

(It is used for sanitary zipper bag firstly)

3

Dehumidifier

(A dehumidifier for natural materials with excellent antibacterial, deodorizing and dehumidifying effects.)

4

Zipper bag

(safety mask case, PVC materials that are harmless to the human body)

Type of MASK KEEPER

Type	A	B	C
Product Name	MASK KEEPER coconut activated charcoal	MASK KEEPER Natural Volcanic Stone	HARUEN Natural Volcanic Stone
Dehumidifier type	coconut activated charcoal (Made in Vietnam)	Natural Volcanic Stone (Made in Korea)	Natural Volcanic Stone (Made in Korea)
Component	Zipper bag, necklace, alcohol swab, dehumidifier	Zipper bag, necklace, alcohol swab, dehumidifier	Zipper bag, dehumidifier
Image			
Dehumidifier Usage Period	3 months	more than 3years	more than 3years
selling price	25,000 VND	45,000 VND	90,000 VND

What is the material of the dehumidifier?

**Coco Activated
Charcoal**



**Coco Activated
Charcoal Dehu
midifier**



- **Made in Vietnam**
- **Characteristics:**
 - dehumidifying, anti-bacterial, odor-removing
- **Test report :**
 - Quality Report
 - Certificate of Safety Inspection
 - ISO 9001 : 2015
 - ISO 22000 : 2005



What is the material of the dehumidifier?

Natural
Volcanic Stone



Natural Volcanic Stone
Dehumidifier



- **Made in** KOREA
- **Characteristics** : dehumidifying,
anti-bacterial, odor-removing
- **Test report** :
 - Absorption Test
 - Odor removal Test
 - Anti-bacterial Test



Wait !! Let try to compare with other types of mask keeper

General mask case

Mask storage

Odor removing



Anti-bacterial



Dehumidifying



Safety certificatic



Silica gel component



VS

MASK KEEPER

Mask storage

Odor removing



Anti-bacterial



Dehumidifying



Certified by




Authorized body

100% Safety Natural Materials



MASK KEEPER IMAGE



Certificate

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

KTC-03741H001 **PHIẾU KẾT QUẢ THỬ NGHIỆM**
TEST REPORT 13/07/2020 Page 01/01

1. Tên mẫu: TÚI BẢO VỆ KHẨU TRANG MASK KEEPER
2. Mô tả mẫu: Mẫu thử nghiệm do khách hàng lấy mẫu, tên mẫu và thông tin về mẫu do khách hàng cung cấp. / Testing sample was sampled by customer, sample name and sample information were supplied by customer.
3. Số lượng mẫu: 01
4. Ngày nhận mẫu: 06/07/2020
5. Thời gian thử nghiệm: 07/07/2020 - 13/07/2020
6. Nơi gửi mẫu: CÔNG TY TNHH KNOXON
Phòng at VP-S403, Tầng 4, số 288 Phạm Văn Hai, P.5, Tân Bình, TP Hồ Chí Minh, Việt Nam
KNOXON COMPANY LIMITED
Room No. VP-S403, Floor 4, 288 Phạm Văn Hai, Ward 5, Tân Bình district, Ho Chi Minh City, Vietnam
7. Kết quả thử nghiệm:

Tên chỉ tiêu	Phương pháp thử	Kết quả thử nghiệm
7.1. Định tính chất lượng phương pháp phân tích mẫu	ASTM E 1152 - 08	Polysilychloride

F. TRƯỞNG PHÒNG TIÊU DÙNG
DEPUTY HEAD OF CONSUMER PRODUCTS TESTING LAB.

TL. GIÁM ĐỐC PP. DIRECTOR
TECHNICAL TESTING LAB.

Nguyễn Thị Thùy Nhi

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

KTC-03741H002 **PHIẾU KẾT QUẢ THỬ NGHIỆM**
TEST REPORT 13/07/2020 Page 01/02

1. Tên mẫu: TÚI BẢO VỆ KHẨU TRANG MASK KEEPER
2. Mô tả mẫu: Mẫu thử nghiệm do khách hàng lấy mẫu, tên mẫu và thông tin về mẫu do khách hàng cung cấp. / Testing sample was sampled by customer, sample name and sample information were supplied by customer.
3. Số lượng mẫu: 01
4. Ngày nhận mẫu: 06/07/2020
5. Thời gian thử nghiệm: 07/07/2020 - 13/07/2020
6. Nơi gửi mẫu: CÔNG TY TNHH KNOXON
Phòng at VP-S403, Tầng 4, số 288 Phạm Văn Hai, P.5, Tân Bình, TP Hồ Chí Minh, Việt Nam
KNOXON COMPANY LIMITED
Room No. VP-S403, Floor 4, 288 Phạm Văn Hai, Ward 5, Tân Bình district, Ho Chi Minh City, Vietnam
7. Kết quả thử nghiệm:

Tên chỉ tiêu	Đơn vị	Phương pháp thử	Kết quả thử nghiệm
7.1. Độ bền kéo / Breaking strength	MPa	ASTM D 482	24.6
7.2. Độ bền xé rách / Tearing strength	N	ASTM D 1938	3.85

F. TRƯỞNG PHÒNG TIÊU DÙNG
DEPUTY HEAD OF CONSUMER PRODUCTS TESTING LAB.

TL. GIÁM ĐỐC PP. DIRECTOR
TECHNICAL TESTING LAB.

Nguyễn Thị Thùy Nhi

Test Report No. VNT/H/20/001165.P1
Dated Jul. 20, 2020

Applicant: KNOXON COMPANY LIMITED
Address: VP-S403, 4th Floor, 288 Phạm Văn Hai, 5 Ward, Tân Bình District, Ho Chi Minh City, Vietnam
Attention: JEON SEONG EUN
Received Date: Jun. 18, 2020
Test Period: From Jul. 10, 2020 to Jul. 20, 2020
Sample Description: Activated Charcoal
Buyer: /
Model/ Style #: /
Manufacturer: /
Item #: /
Wood Type or Specie/Material: /
Date Of Production: /
SKINSKUP: /
Country Of Origin: /
Country Of Destination: /

Result summary/ conclusion:

No.	Test parameter(s)	Conclusion
1.	Desiccant absorption capacity (in-house method)	DATA/ See Result(s)

Notes:
- The submitted sample(s) is Not Drawn by the Laboratory.

Test Report No. VNT/H/20/001165.P1
Dated Jul. 20, 2020

1. Test Results:

No.	Evaluation	Citation/ Method	Result/ Rating
1.	Desiccant absorption capacity of Coconut activated carbon	Weighting the sample before heating, put it in moist conditions of 90% RH, after 20 minutes weighing sample again => calculate the percentage of hygroscopic. After weighing, place the sample in the cabinet and run for 2 hours, take out the sample again => calculate the percentage of hygroscopic.	Date (See below table)

Sample No.	Sample weight Before test	Sample weight After 20' testing	Sample weight After 200' testing	% after 20' testing	% after 200' testing
1	15.60g	16.13g	17.86g	7.58 %	18.54 %
2	14.12g	16.00g	16.61g	7.97 %	17.22 %
3	14.84g	16.09g	17.76g	8.20 %	19.54 %
Average	14.69g	15.63g	17.43g	7.81 %	18.43%

Test result
- certified material test report -

Absorption test

TEST REPORT

When put a volcanic stone in water for 24 hours, its absorption rate was 31.3%.

Order removal test

KIFA
KOREA FAR INFRARED ASSOCIATION
KOREA INSTITUTE OF FAR INFRARED APPLIED ESTIMATION

CERTIFICATE OF TESTING RESULT

When put in a sealed space with ammoniator 24 hours, odor removal rate was 98%.

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

KTC-03741H002 **PHIẾU KẾT QUẢ THỬ NGHIỆM**
TEST REPORT 13/07/2020 Page 01/01

1. Tên mẫu: TÚI BẢO VỆ KHẨU TRANG MASK KEEPER
2. Mô tả mẫu: Mẫu thử nghiệm do khách hàng lấy mẫu, tên mẫu và thông tin về mẫu do khách hàng cung cấp. / Testing sample was sampled by customer, sample name and sample information were supplied by customer.
3. Số lượng mẫu: 01
4. Ngày nhận mẫu: 06/07/2020
5. Thời gian thử nghiệm: 07/07/2020 - 13/07/2020
6. Nơi gửi mẫu: CÔNG TY TNHH KNOXON
Phòng at VP-S403, Tầng 4, số 288 Phạm Văn Hai, P.5, Tân Bình, TP Hồ Chí Minh, Việt Nam
KNOXON COMPANY LIMITED
Room No. VP-S403, Floor 4, 288 Phạm Văn Hai, Ward 5, Tân Bình district, Ho Chi Minh City, Vietnam
7. Kết quả thử nghiệm:

Tên chỉ tiêu	Phương pháp thử	Kết quả thử nghiệm
7.1. Định tính chất lượng phương pháp phân tích mẫu	ASTM E 1152 - 08	Polysilychloride

F. TRƯỞNG PHÒNG TIÊU DÙNG
DEPUTY HEAD OF CONSUMER PRODUCTS TESTING LAB.

TL. GIÁM ĐỐC PP. DIRECTOR
TECHNICAL TESTING LAB.

Nguyễn Thị Thùy Nhi

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM
Độc lập - Tự do - Hạnh phúc

BẢN CÔNG BỐ TIÊU CHUẨN SẢN PHẨM
Số: TCSS 01/2020-KNOXON

Tên sản phẩm: CÔNG TY TNHH KNOXON
Địa chỉ: Phòng at VP-S403, Tầng 4, số 288 Phạm Văn Hai, Phường 5, Quận Tân Bình, Thành phố Hồ Chí Minh, Việt Nam
MSTN: 0315530375
Email: knoxon.com.vn@gmail.com
Website: knoxon.com.vn

CÔNG BỐ

Tên chuẩn cơ sở số: TCSS 01/2020-KNOXON
Áp dụng cho sản phẩm: TÚI BẢO VỆ KHẨU TRANG MASK KEEPER

Chúng tôi cam kết sản xuất, kinh doanh sản phẩm theo đúng tiêu chuẩn cơ sở đã công bố trên đây và chịu hoàn toàn trách nhiệm trước người tiêu dùng và cơ quan quản lý nhà nước về những vi phạm đối với những tiêu chuẩn chất lượng đã công bố.

TP. Hồ Chí Minh, ngày 17 tháng 07 năm 2020

GIAM ĐỐC
(Ký tên & đóng dấu)
CÔNG TY TNHH KNOXON
JEON SEONG EUN

Test Report No. VNT/H/20/001165.P2
Dated Jul. 20, 2020

Applicant: KNOXON COMPANY LIMITED
Address: VP-S403, 4th Floor, 288 Phạm Văn Hai, 5 Ward, Tân Bình District, Ho Chi Minh City, Vietnam
Attention: JEON SEONG EUN
Received Date: Jun. 18, 2020
Test Period: From Jul. 10, 2020 to Jul. 20, 2020
Sample Description: Activated Charcoal
Buyer: /
Model/ Style #: /
Manufacturer: /
Item #: /
Wood Type or Specie/Material: /
Date Of Production: /
SKINSKUP: /
Country Of Origin: /
Country Of Destination: /

Result summary/ conclusion:

No.	Test parameter(s)	Conclusion
1.	Odor test (in-house method)	DATA/ See Result(s)

Notes:
- The submitted sample(s) is Not Drawn by the Laboratory.

Test Report No. VNT/H/20/001165.P2
Dated Jul. 20, 2020

1. Test Results:

No.	Evaluation	Citation/ Method	Result/ Rating
1.	Color test	Apply perfume onto face mask with distance 20cm. Put one silica gel bag and face mask into a plastic box and seal it. Remove face mask from the box, compare color before and after 4 days. Note: Face mask was provided by laboratory.	DATA (Color reduce 70% after 4 days)

Anti-bacterial test

KIFA
KOREA FAR INFRARED ASSOCIATION
KOREA INSTITUTE OF FAR INFRARED APPLIED ESTIMATION

CERTIFICATE OF TESTING RESULT

Colon bacillus 85.3% (Colon bacillus 24 hour culture)
Staphylococcus 86.9% (Staphylococcus 25 hour culture)

Anti-bacterial test changing process

✓ Dissolve volcanic stone 10g in 500 times water, and watch the disappearing of germs for 24 hours

Colon bacillus
Staphylococcus

Status of MASK KEEPER stores





Đừng đặt khẩu trang vào túi quần túi áo hay túi xách...



TÚI BẢO VỆ KHẨU TRANG

Hút ẩm - Khử mùi - Kháng khuẩn



Với túi than hoạt tính gáo dừa giúp hút ẩm, khử mùi, kháng khuẩn cho khẩu trang của bạn luôn sạch "Ở bất kỳ nơi đâu"



Hãy bảo vệ khẩu trang của bạn thật đúng cách
Đó cũng là bảo vệ sức khỏe của bạn và gia đình

Thank you very much